

ИНТРАМЕДУЛЛЯРНЫЙ ОСТЕОСИНТЕЗ



Стержень гамма

8.610....612.180  Ø 10,0; 11,0; 12,0 мм, L=180 мм

8.610....612.200  Ø 10,0; 11,0; 12,0 мм, L=200 мм

8.610....612.220  Ø 10,0; 11,0; 12,0 мм, L=220 мм

8.610....612.240  Ø 10,0; 11,0; 12,0 мм, L=240 мм



Стержень универсальный для большеберцовой кости



8.108....111.270  Ø 8,0; 9,0; 10,0; 11,0 мм, L=270 мм

8.108....111.285  Ø 8,0; 9,0; 10,0; 11,0 мм, L=285 мм

8.108....111.300  Ø 8,0; 9,0; 10,0; 11,0 мм, L=300 мм

8.108....111.315  Ø 8,0; 9,0; 10,0; 11,0 мм, L=315 мм

8.108....111.330  Ø 8,0; 9,0; 10,0; 11,0 мм, L=330 мм

8.108....111.345  Ø 8,0; 9,0; 10,0; 11,0 мм, L=345 мм

8.108....111.360  Ø 8,0; 9,0; 10,0; 11,0 мм, L=360 мм

8.108....111.375  Ø 8,0; 9,0; 10,0; 11,0 мм, L=375 мм

8.108....111.390  Ø 8,0; 9,0; 10,0; 11,0 мм, L=390 мм





Винт-заглушка M8

8.108.15



Ø 8,0 мм, L=15 мм



Винт компрессионный M8

8.108.48



Ø 8,0 мм, L=48 мм





Стержень реконструктивный для бедренной кости правый/левый

8.209....212.300 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=300 мм

8.209....212.320 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=320 мм

8.209....212.340 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=340 мм

8.209....212.360 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=360 мм

8.209....212.380 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=380 мм

8.209....212.400 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=400 мм

8.209....212.420 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=420 мм

8.209....212.440 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=440 мм

8.209....212.460 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=460 мм

8.209....212.480 П/Л  Ø 9,0; 10,0; 11,0; 12,0 мм, L=480 мм





Стержень антеградно-ретроградный для бедренной кости

8.309....312.300  Ø 9,0; 10,0; 11,0; 12,0 мм, L=300 мм

8.309....312.320  Ø 9,0; 10,0; 11,0; 12,0 мм, L=320 мм

8.309....312.340  Ø 9,0; 10,0; 11,0; 12,0 мм, L=340 мм

8.309....312.360  Ø 9,0; 10,0; 11,0; 12,0 мм, L=360 мм

8.309....312.380  Ø 9,0; 10,0; 11,0; 12,0 мм, L=380 мм

8.309....312.400  Ø 9,0; 10,0; 11,0; 12,0 мм, L=400 мм

8.309....312.420  Ø 9,0; 10,0; 11,0; 12,0 мм, L=420 мм

8.309....312.440  Ø 9,0; 10,0; 11,0; 12,0 мм, L=440 мм

8.309....312.460  Ø 9,0; 10,0; 11,0; 12,0 мм, L=460 мм

8.309....312.480  Ø 9,0; 10,0; 11,0; 12,0 мм, L=480 мм






Винт-заглушка M10

8.210.10  Ø 10,0 мм, L=10 мм



Винт компрессионный M10

8.210.53  Ø 10,0 мм, L=53 мм





Болт-стяжка стержневой

Ø 6,3


8.063.50  Ø 6,3 мм, L=50 мм

8.063.60  Ø 6,3 мм, L=60 мм

8.063.70  Ø 6,3 мм, L=70 мм

8.063.80  Ø 6,3 мм, L=80 мм

8.063.90  Ø 6,3 мм, L=90 мм





Винт реконструктивный

Ø 6,5


8.065.30....40  Ø 6,5 мм, L=30, 35, 40 мм

8.065.45....55  Ø 6,5 мм, L=45, 50, 55 мм

8.065.60....70  Ø 6,5 мм, L=60, 65, 70 мм

8.065.75....85  Ø 6,5 мм, L=75, 80, 85 мм

8.065.90....100  Ø 6,5 мм, L=90, 95, 100 мм





Стержень для плечевой кости

8.407....410.180  Ø 7,0; 8,0; 9,0; 10,0 мм, L=180 мм

8.407....410.200  Ø 7,0; 8,0; 9,0; 10,0 мм, L=200 мм

8.407....410.220  Ø 7,0; 8,0; 9,0; 10,0 мм, L=220 мм

8.407....410.240  Ø 7,0; 8,0; 9,0; 10,0 мм, L=240 мм


8.407....410.260  Ø 7,0; 8,0; 9,0; 10,0 мм, L=260 мм

8.407....410.280  Ø 7,0; 8,0; 9,0; 10,0 мм, L=280 мм

8.407....410.300  Ø 7,0; 8,0; 9,0; 10,0 мм, L=300 мм

8.407....410.320  Ø 7,0; 8,0; 9,0; 10,0 мм, L=320 мм

8.407....410.340  Ø 7,0; 8,0; 9,0; 10,0 мм, L=340 мм





Стержень реконструктивный для плечевой кости

8.507....510.180  Ø 7,0; 8,0; 9,0; 10,0 мм, L=180 мм

8.507....510.200  Ø 7,0; 8,0; 9,0; 10,0 мм, L=200 мм

8.507....510.220  Ø 7,0; 8,0; 9,0; 10,0 мм, L=220 мм

8.507....510.240  Ø 7,0; 8,0; 9,0; 10,0 мм, L=240 мм

8.507....510.260  Ø 7,0; 8,0; 9,0; 10,0 мм, L=260 мм

8.507....510.280  Ø 7,0; 8,0; 9,0; 10,0 мм, L=280 мм

8.507....510.300  Ø 7,0; 8,0; 9,0; 10,0 мм, L=300 мм

8.507....510.320  Ø 7,0; 8,0; 9,0; 10,0 мм, L=320 мм

8.507....510.340  Ø 7,0; 8,0; 9,0; 10,0 мм, L=340 мм





Винт-заглушка М7

8.307.13



Ø 7,0 мм, L=13 мм




Винт компрессионный М7

8.307.16



Ø 7,0 мм, L=16 мм





Стержень гамма длинный правый/левый

8.710....712.300 П/Л  Ø 10,0; 11,0; 12,0 мм, L=300 мм

8.710....712.320 П/Л  Ø 10,0; 11,0; 12,0 мм, L=320 мм

8.710....712.340 П/Л  Ø 10,0; 11,0; 12,0 мм, L=340 мм

8.710....712.360 П/Л  Ø 10,0; 11,0; 12,0 мм, L=360 мм

8.710....712.380 П/Л  Ø 10,0; 11,0; 12,0 мм, L=380 мм

8.710....712.400 П/Л  Ø 10,0; 11,0; 12,0 мм, L=400 мм

8.710....712.420 П/Л  Ø 10,0; 11,0; 12,0 мм, L=420 мм

8.710....712.440 П/Л  Ø 10,0; 11,0; 12,0 мм, L=440 мм





Винт блокирующий
проксимальный
канюлированный

Ø 11 / 2,7

8.111.70  Ø 11,0 мм, L=70 мм

8.111.75  Ø 11,0 мм, L=75 мм

8.111.80  Ø 11,0 мм, L=80 мм

8.111.85  Ø 11,0 мм, L=85 мм

8.111.90  Ø 11,0 мм, L=90 мм

8.111.95  Ø 11,0 мм, L=95 мм

8.111.100  Ø 11,0 мм, L=100 мм

8.111.105  Ø 11,0 мм, L=105 мм

8.111.110  Ø 11,0 мм, L=110 мм

8.111.115  Ø 11,0 мм, L=115 мм

8.111.120  Ø 11,0 мм, L=120 мм





**Винт блокирующий
деротационный
канюлированный**

Ø 6,5 / 2,7

8.165.70  Ø 6,5 мм, L=70 мм

8.165.75  Ø 6,5 мм, L=75 мм

8.165.80  Ø 6,5 мм, L=80 мм

8.165.85  Ø 6,5 мм, L=85 мм

8.165.90  Ø 6,5 мм, L=90 мм

8.165.95  Ø 6,5 мм, L=95 мм


8.165.100  Ø 6,5 мм, L=100 мм

8.165.105  Ø 6,5 мм, L=105 мм

8.165.110  Ø 6,5 мм, L=110 мм

8.165.115  Ø 6,5 мм, L=115 мм

8.165.120  Ø 6,5 мм, L=120 мм





Винт блокирующий проксимальный

Ø 4,5


8.045.30....40  Ø 4,5 мм, L=30, 35, 40 мм

8.045.45....55  Ø 4,5 мм, L=45, 50, 55 мм

8.045.60....70  Ø 4,5 мм, L=60, 65, 70 мм

8.045.75....85  Ø 4,5 мм, L=75, 80, 85 мм

8.045.90....100  Ø 4,5 мм, L=90, 95, 100 мм





Винт-заглушка M12

8.120.13



Ø 12,0 мм, L=13 мм



Винт компрессионный
(стопорный) M8

8.080.25



Ø 8,0 мм, L=25,5 мм




+7(987)296-44-96



nealmed@mail.ru

nealmed.ru





Винт блокирующий дистальный


Ø 3,5

8.035.20....26  L=20, 22, 24, 26 мм

8.035.28....34  L=28, 30, 32, 34 мм

8.035.36....42  L=36, 38, 40, 42 мм

8.035.44....50  L=44, 46, 48, 50 мм





Винт блокирующий
дистальный 4,5/5,0 мм

Ø 4,5 / 5,0

8.145/150.25....30  L=25, 30 мм

8.145/150.35....40  L=35, 40 мм


8.145/150.45....50  L=45, 50 мм

8.145/150.55....60  L=55, 60 мм

8.145/150.65....70  L=65, 70 мм

8.145/150.75....80  L=75, 80 мм

8.145/150.85....90  L=85, 90 мм





Штифт для интрамедуллярного блокирующего остеосинтеза плеча

8.01.070....090.200  Ø 7, 8, 9 мм, L=200 мм

8.01.070....090.220  Ø 7, 8, 9 мм, L=220 мм

8.01.070....090.240  Ø 7, 8, 9 мм, L=240 мм

8.01.070....090.260  Ø 7, 8, 9 мм, L=260 мм

8.01.070....090.280  Ø 7, 8, 9 мм, L=280 мм

8.01.070....090.300  Ø 7, 8, 9 мм, L=300 мм





**Штифт для интрамедуллярного
блокирующего остеосинтеза
переломов большеберцовой кости**

8.02.080....120.300  Ø 8, 9, 10, 11, 12 мм, L=300 мм

8.02.080....120.320  Ø 8, 9, 10, 11, 12 мм, L=320 мм

8.02.080....120.340  Ø 8, 9, 10, 11, 12 мм, L=340 мм


8.02.080....120.360  Ø 8, 9, 10, 11, 12 мм, L=360 мм

8.02.080....120.380  Ø 8, 9, 10, 11, 12 мм, L=380 мм

8.02.080....120.400  Ø 8, 9, 10, 11, 12 мм, L=400 мм

8.02.080....120.420  Ø 8, 9, 10, 11, 12 мм, L=420 мм

8.02.080....120.440  Ø 8, 9, 10, 11, 12 мм, L=440 мм





Штифт для интрамедуллярного
блокирующего остеосинтеза
переломов бедренной кости
антеградный

8.03.090....120.300  Ø 9, 10, 11, 12 мм, L=300 мм

8.03.090....120.320  Ø 9, 10, 11, 12 мм, L=320 мм

8.03.090....120.340  Ø 9, 10, 11, 12 мм, L=340 мм


8.03.090...120.360  Ø 9, 10, 11, 12 мм, L=360 мм

8.03.090....120.380  Ø 9, 10, 11, 12 мм, L=380 мм

8.03.090....120.400  Ø 9, 10, 11, 12 мм, L=400 мм

8.03.090....120.420  Ø 9, 10, 11, 12 мм, L=420 мм

8.03.090....120.440  Ø 9, 10, 11, 12 мм, L=440 мм





Штифт для интрамедуллярного
блокирующего остеосинтеза
переломов бедренной кости
ретроградный

8.04.090....120.300  Ø 9, 10, 11, 12 мм, L=300 мм

8.04.090....120.320  Ø 9, 10, 11, 12 мм, L=320 мм

8.04.090....120.340  Ø 9, 10, 11, 12 мм, L=340 мм


8.04.090....120.360  Ø 9, 10, 11, 12 мм, L=360 мм

8.04.090....120.380  Ø 9, 10, 11, 12 мм, L=380 мм

8.04.090....120.400  Ø 9, 10, 11, 12 мм, L=400 мм

8.04.090....120.420  Ø 9, 10, 11, 12 мм, L=420 мм

8.04.090....120.440  Ø 9, 10, 11, 12 мм, L=440 мм





Штифт интрамедуллярный канюлированный для бедра ПБФ

8.05.100....120.200  Ø 10, 11, 12 мм, L=200 мм

8.05.100....120.220  Ø 10, 11, 12 мм, L=220 мм

8.05.100....120.240  Ø 10, 11, 12 мм, L=240 мм

8.05.100....120.300 П/Л  Ø 10, 11, 12 мм, L=300 мм правый/левый

8.05.100....120.320 П/Л  Ø 10, 11, 12 мм, L=320 мм правый/левый

8.05.100....120.340 П/Л  Ø 10, 11, 12 мм, L=340 мм правый/левый

8.05.100....120.360 П/Л  Ø 10, 11, 12 мм, L=360 мм правый/левый

8.05.100....120.380 П/Л  Ø 10, 11, 12 мм, L=380 мм правый/левый

8.05.100....120.400 П/Л  Ø 10, 11, 12 мм, L=400 мм правый/левый

8.05.100....120.420 П/Л  Ø 10, 11, 12 мм, L=420 мм правый/левый

8.05.100....120.440 П/Л  Ø 10, 11, 12 мм, L=440 мм правый/левый





Винт ПБФ

Ø 12

8.120.080  L=80 мм

8.120.085  L=85 мм


8.120.090  L=90 мм

8.120.095  L=95 мм

8.120.100  L=100 мм

8.120.105  L=105 мм

8.120.110  L=110 мм





Винт компрессирующий к
интрамедуллярным гвоздям

Ø 3,5


8.135.26....32  L= 26, 30, 32 мм

8.135.34....38  L= 34, 36, 38 мм

8.135.40....46  L= 40, 42, 44, 46 мм

8.135.48....54  L= 48, 50, 52, 54 мм

8.135.56....62  L= 56, 58, 60, 62 мм





Винт компрессирующий к интрамедуллярным гвоздям

Ø 4,0


8.040.26....32  L= 26, 30, 32 мм

8.040.34....38  L= 34, 36, 38 мм

8.040.40....46  L= 40, 42, 44, 46 мм

8.040.48....54  L= 48, 50, 52, 54 мм

8.040.56....62  L= 56, 58, 60, 62 мм





Винт компрессирующий
к интрамедуллярным гвоздям

Ø 5,0


8.50.26....32  L= 26, 30, 32 мм

8.50.34....38  L= 34, 36, 38 мм

8.50.40....46  L= 40, 42, 44, 46 мм

8.50.48....54  L= 48, 50, 52, 54 мм

8.50.56....62  L= 56, 58, 60, 62 мм






Винт компрессирующий к интрамедуллярным гвоздям

8.015



Предназначен для использования в стержнях плеча, голени, бедра (кроме ретроградного). Дл. 15 мм; д. 6 мм; вн. шест.-к 3,5 мм



Стержень интрамедуллярный эластичный

8.150.01  Ø 1,5 мм

8.200.02  Ø 2,0 мм

8.250.03  Ø 2,5 мм

8.300.04  Ø 3,0 мм

8.350.05  Ø 3,5 мм

8.400.06  Ø 4,0 мм

