

ВИНТЫ ДЛЯ ОСТЕОСИНТЕЗА



Винт кортикальный

Ø 2,7

4.027.06  L=6 мм

4.027.08  L=8 мм

4.027.10  L=10 мм

4.027.12  L=12 мм

4.027.14  L=14 мм

4.027.16  L=16 мм

4.027.18  L=18 мм

4.027.20  L=20 мм

4.027.22  L=22 мм

4.027.24  L=24 мм

4.027.26  L=26 мм

4.027.28  L=28 мм

4.027.30  L=30 мм

4.027.32  L=32 мм

4.027.34  L=34 мм

4.027.36  L=36 мм

4.027.38  L=38 мм

4.027.40  L=40 мм

4.027.42  L=42 мм

4.027.44  L=44 мм

4.027.46  L=46 мм

4.027.48  L=48 мм

4.027.50  L=50 мм






Винт кортикальный

Ø 3,5

4.035.10		L=10 мм	4.035.30		L=30 мм	4.035.50		L=50 мм
4.035.12		L=12 мм	4.035.32		L=32 мм	4.035.52		L=52 мм
4.035.14		L=14 мм	4.035.34		L=34 мм	4.035.54		L=54 мм
4.035.16		L=16 мм	4.035.36		L=36 мм	4.035.56		L=56 мм
4.035.18		L=18 мм	4.035.38		L=38 мм	4.035.58		L=58 мм
4.035.20		L=20 мм	4.035.40		L=40 мм	4.035.60		L=60 мм
4.035.22		L=22 мм	4.035.42		L=42 мм	4.035.62		L=62 мм
4.035.24		L=24 мм	4.035.44		L=44 мм	4.035.64		L=64 мм
4.035.26		L=26 мм	4.035.46		L=46 мм	4.035.66		L=66 мм
4.035.28		L=28 мм	4.035.48		L=48 мм	4.035.68		L=68 мм



4.035.70  L=70 мм

4.035.90  L=90 мм

4.035.72  L=72 мм

4.035.92  L=92 мм

4.035.74  L=74 мм

4.035.94  L=94 мм

4.035.76  L=76 мм

4.035.96  L=96 мм

4.035.78  L=78 мм

4.035.100  L=100 мм

4.035.80  L=80 мм

4.035.82  L=82 мм


4.035.84  L=84 мм

4.035.86  L=86 мм

4.035.88  L=88 мм

Винт кортикальный

Ø 3,5






Винт кортикальный

Ø 4,5

4.045.10		L=10 мм	4.045.30		L=30 мм	4.045.50		L=50 мм
4.045.12		L=12 мм	4.045.32		L=32 мм	4.045.52		L=52 мм
4.045.14		L=14 мм	4.045.34		L=34 мм	4.045.54		L=54 мм
4.045.16		L=16 мм	4.045.36		L=36 мм	4.045.56		L=56 мм
4.045.18		L=18 мм	4.045.38		L=38 мм	4.045.58		L=58 мм
4.045.20		L=20 мм	4.045.40		L=40 мм	4.045.60		L=60 мм
4.045.22		L=22 мм	4.045.42		L=42 мм	4.045.62		L=62 мм
4.045.24		L=24 мм	4.045.44		L=44 мм	4.045.64		L=64 мм
4.045.26		L=26 мм	4.045.46		L=46 мм	4.045.66		L=66 мм
4.045.28		L=28 мм	4.045.48		L=48 мм	4.045.68		L=68 мм



4.045.70  L=70 мм

4.045.90  L=90 мм

4.045.72  L=72 мм

4.045.92  L=92 мм

4.045.74  L=74 мм

4.045.94  L=94 мм

4.045.76  L=76 мм

4.045.96  L=96 мм

4.045.78  L=78 мм

4.045.100  L=100 мм

4.045.80  L=80 мм

4.045.82  L=82 мм


4.045.84  L=84 мм

4.045.86  L=86 мм

4.045.88  L=88 мм

Винт кортикальный

Ø 4,5



**Винт канюлированный (БКС)
(типа Герберта)** $\varnothing$ 2,54.025.10  L=10 мм4.025.12  L=12 мм4.025.14  L=14 мм4.025.16  L=16 мм4.025.18  L=18 мм4.025.20  L=20 мм4.025.22  L=22 мм4.025.24  L=24 мм4.025.26  L=26 мм4.025.28  L=28 мм4.025.30  L=30 мм4.025.32  L=32 мм4.025.34  L=34 мм4.025.36  L=36 мм4.025.38  L=38 мм4.025.40  L=40 мм

Винт канюлированный (БКС) (типа Герберта)

Ø 3,0

4.030.10  L=10 мм

4.030.12  L=12 мм

4.030.14  L=14 мм

4.030.16  L=16 мм

4.030.18  L=18 мм

4.030.20  L=20 мм

4.030.22  L=22 мм

4.030.24  L=24 мм

4.030.26  L=26 мм

4.030.28  L=28 мм

4.030.30  L=30 мм


4.030.32  L=32 мм

4.030.34  L=34 мм

4.030.36  L=36 мм

4.030.38  L=38 мм

4.030.40  L=40 мм



Винт канюлированный (БКС) (типа Герберта)

Ø 3,5

4.135.10  L=10 мм

4.135.12  L=12 мм

4.135.14  L=14 мм

4.135.16  L=16 мм

4.135.18  L=18 мм

4.135.20  L=20 мм

4.135.22  L=22 мм

4.135.24  L=24 мм

4.135.26  L=26 мм

4.135.28  L=28 мм

4.135.30  L=30 мм

4.135.32  L=32 мм

4.135.34  L=34 мм

4.135.36  L=36 мм

4.135.38  L=38 мм

4.135.40  L=40 мм





Винт канюлированный

Ø 4,0

4.040.05.10		L=10 мм резьба 5 мм	4.040.12.34		L=34 мм резьба 12 мм
4.040.05.12		L=12 мм резьба 5 мм	4.040.12.36		L=36 мм резьба 12 мм
4.040.05.14		L=14 мм резьба 5 мм	4.040.12.38		L=38 мм резьба 12 мм
4.040.05.16		L=16 мм резьба 5 мм	4.040.14.40		L=40 мм резьба 14 мм
4.040.12.18		L=18 мм резьба 12 мм	4.040.14.42		L=42 мм резьба 14 мм
4.040.12.20		L=20 мм резьба 12 мм	4.040.15.44		L=44 мм резьба 15 мм
4.040.12.22		L=22 мм резьба 12 мм	4.040.15.46		L=46 мм резьба 15 мм
4.040.12.24		L=24 мм резьба 12 мм	4.040.16.48		L=48 мм резьба 16 мм
4.040.12.26		L=26 мм резьба 12 мм	4.040.16.50		L=50 мм резьба 16 мм
4.040.12.28		L=28 мм резьба 12 мм	4.040.18.52		L=52 мм резьба 18 мм
4.040.12.30		L=30 мм резьба 12 мм	4.040.18.54		L=54 мм резьба 18 мм
4.040.12.32		L=32 мм резьба 12 мм			





Винт канюлированный

Ø 4,5

4.145.05.10  L=10 мм резьба 5 мм

4.145.05.12  L=12 мм резьба 5 мм

4.145.05.14  L=14 мм резьба 5 мм

4.145.05.16  L=16 мм резьба 5 мм

4.145.12.18  L=18 мм резьба 12 мм

4.145.12.20  L=20 мм резьба 12 мм

4.145.12.22  L=22 мм резьба 12 мм

4.145.12.24  L=24 мм резьба 12 мм

4.145.12.26  L=26 мм резьба 12 мм

4.145.12.28  L=28 мм резьба 12 мм

4.145.12.30  L=30 мм резьба 12 мм

4.145.12.32  L=32 мм резьба 12 мм

4.145.12.34  L=34 мм резьба 12 мм

4.145.12.36  L=36 мм резьба 12 мм

4.145.12.38  L=38 мм резьба 12 мм

4.145.14.40  L=40 мм резьба 14 мм

4.145.14.42  L=42 мм резьба 14 мм

4.145.15.44  L=44 мм резьба 15 мм


4.145.15.46  L=46 мм резьба 15 мм

4.145.16.48  L=48 мм резьба 16 мм

4.145.16.50  L=50 мм резьба 16 мм

4.145.18.52  L=52 мм резьба 18 мм

4.145.18.54  L=54 мм резьба 18 мм





Винт канюлированный
длина резьбы сплошная

Ø 5,0

4.050.25  L=25 мм

4.050.30  L=30 мм

4.050.35  L=35 мм

4.050.40  L=40 мм

4.050.45  L=45 мм

4.050.50  L=50 мм

4.050.55  L=55 мм

4.050.60  L=60 мм

4.050.65  L=65 мм

4.050.70  L=70 мм

4.050.75  L=75 мм

4.050.80  L=80 мм

4.050.85  L=85 мм

4.050.90  L=90 мм

4.050.95  L=95 мм


4.050.100  L=100 мм

4.050.105  L=105 мм

4.050.110  L=110 мм

4.050.115  L=115 мм

4.050.120  L=120 мм





Винт канюлированный
длина резьбы 16 мм

Ø 5,0

4.150.16.25  L=25 мм

4.150.16.75  L=75 мм

4.150.16.30  L=30 мм

4.150.16.80  L=80 мм

4.150.16.35  L=35 мм

4.150.16.85  L=85 мм

4.150.16.40  L=40 мм

4.150.16.90  L=90 мм

4.150.16.45  L=45 мм

4.150.16.95  L=95 мм

4.150.16.50  L=50 мм

4.150.16.100  L=100 мм

4.150.16.55  L=55 мм

4.150.16.105  L=105 мм

4.150.16.60  L=60 мм


4.150.16.110  L=110 мм

4.150.16.65  L=65 мм

4.150.16.115  L=115 мм

4.150.16.70  L=70 мм

4.150.16.120  L=120 мм





Винт канюлированный
длина резьбы 32 мм

Ø 5,0

4.250.32.25  L=25 мм

4.250.32.75  L=75 мм

4.250.32.30  L=30 мм

4.250.32.80  L=80 мм

4.250.32.35  L=35 мм

4.250.32.85  L=85 мм

4.250.32.40  L=40 мм

4.250.32.90  L=90 мм

4.250.32.45  L=45 мм

4.250.32.95  L=95 мм

4.250.32.50  L=50 мм

4.250.32.100  L=100 мм

4.250.32.55  L=55 мм

4.250.32.105  L=105 мм

4.250.32.60  L=60 мм

4.250.32.110  L=110 мм

4.250.32.65  L=65 мм

4.250.32.115  L=115 мм

4.250.32.70  L=70 мм

4.250.32.120  L=120 мм





Винт канюлированный длина резьбы сплошная

Ø 6,5

4.065.01.25  L=25 мм

4.065.01.75  L=75 мм

4.065.01.30  L=30 мм

4.065.01.80  L=80 мм

4.065.01.35  L=35 мм

4.065.01.85  L=85 мм

4.065.01.40  L=40 мм

4.065.01.90  L=90 мм

4.065.01.45  L=45 мм

4.065.01.95  L=95 мм

4.065.01.50  L=50 мм

4.065.01.100  L=100 мм

4.065.01.55  L=55 мм

4.065.01.105  L=105 мм

4.065.01.60  L=60 мм


4.065.01.110  L=110 мм

4.065.01.65  L=65 мм

4.065.01.115  L=115 мм

4.065.01.70  L=70 мм

4.065.01.120  L=120 мм





Винт канюлированный
длина резьбы 16 мм

Ø 6,5

4.165.16.01.25  L=25 мм

4.165.16.01.75  L=75 мм

4.165.16.01.30  L=30 мм

4.165.16.01.80  L=80 мм

4.165.16.01.35  L=35 мм

4.165.16.01.85  L=85 мм

4.165.16.01.40  L=40 мм

4.165.16.01.90  L=90 мм

4.165.16.01.45  L=45 мм

4.165.16.01.95  L=95 мм

4.165.16.01.50  L=50 мм

4.165.16.01.100  L=100 мм

4.165.16.01.55  L=55 мм

4.165.16.01.105  L=105 мм

4.165.16.01.60  L=60 мм

4.165.16.01.110  L=110 мм

4.165.16.01.65  L=65 мм

4.165.16.01.115  L=115 мм

4.165.16.01.70  L=70 мм

4.165.16.01.120  L=120 мм





Винт канюлированный
длина резьбы 32 мм

Ø 6,5

4.265.32.01.25  L=25 мм

4.265.32.01.75  L=75 мм

4.265.32.01.30  L=30 мм

4.265.32.01.80  L=80 мм

4.265.32.01.35  L=35 мм

4.265.32.01.85  L=85 мм

4.265.32.01.40  L=40 мм

4.265.32.01.90  L=90 мм

4.265.32.01.45  L=45 мм

4.265.32.01.95  L=95 мм

4.265.32.01.50  L=50 мм

4.265.32.01.100  L=100 мм

4.265.32.01.55  L=55 мм

4.265.32.01.105  L=105 мм

4.265.32.01.60  L=60 мм

4.265.32.01.110  L=110 мм

4.265.32.01.65  L=65 мм

4.265.32.01.115  L=115 мм

4.265.32.01.70  L=70 мм

4.265.32.01.120  L=120 мм





Винт канюлированный длина резьбы сплошная

Ø 7,0 / 7,3

4.070/073.01.25  L=25 мм

4.070/073.01.75  L=75 мм

4.070/073.01.30  L=30 мм

4.070/073.01.80  L=80 мм

4.070/073.01.35  L=35 мм

4.070/073.01.85  L=85 мм

4.070/073.01.40  L=40 мм

4.070/073.01.90  L=90 мм

4.070/073.01.45  L=45 мм

4.070/073.01.95  L=95 мм

4.070/073.01.50  L=50 мм

4.070/073.01.100  L=100 мм

4.070/073.01.55  L=55 мм

4.070/073.01.105  L=105 мм

4.070/073.01.60  L=60 мм


4.070/073.01.110  L=110 мм

4.070/073.01.65  L=65 мм

4.070/073.01.115  L=115 мм

4.070/073.01.70  L=70 мм

4.070/073.01.120  L=120 мм





Винт канюлированный
длина резьбы 16 мм

Ø 7,0 / 7,3

4.170/173.16.01.25  L=25 мм

4.170/173.16.01.30  L=30 мм

4.170/173.16.01.35  L=35 мм

4.170/173.16.01.40  L=40 мм

4.170/173.16.01.45  L=45 мм

4.170/173.16.01.50  L=50 мм

4.170/173.16.01.55  L=55 мм

4.170/173.16.01.60  L=60 мм

4.170/173.16.01.65  L=65 мм

4.170/173.16.01.70  L=70 мм

4.170/173.16.01.75  L=75 мм

4.170/173.16.01.80  L=80 мм

4.170/173.16.01.85  L=85 мм

4.170/173.16.01.90  L=90 мм

4.170/173.16.01.95  L=95 мм


4.170/173.16.01.100  L=100 мм

4.170/173.16.01.105  L=105 мм

4.170/173.16.01.110  L=110 мм

4.170/173.16.01.115  L=115 мм

4.170/173.16.01.120  L=120 мм





Винт канюлированный
длина резьбы 32 мм

Ø 7,0 / 7,3

4.270/273.32.01.25  L=25 мм

4.270/273.32.01.30  L=30 мм

4.270/273.32.01.35  L=35 мм

4.270/273.32.01.40  L=40 мм

4.270/273.32.01.45  L=45 мм

4.270/273.32.01.50  L=50 мм

4.270/273.32.01.55  L=55 мм

4.270/273.32.01.60  L=60 мм

4.270/273.32.01.65  L=65 мм

4.270/273.32.01.70  L=70 мм

4.270/273.32.01.75  L=75 мм

4.270/273.32.01.80  L=80 мм

4.270/273.32.01.85  L=85 мм

4.270/273.32.01.90  L=90 мм

4.270/273.32.01.95  L=95 мм


4.270/273.32.01.100  L=100 мм

4.270/273.32.01.105  L=105 мм

4.270/273.32.01.110  L=110 мм

4.270/273.32.01.115  L=115 мм

4.270/273.32.01.120  L=120 мм





Винт канюлированный компрессирующий

Ø 7,3 / 9,3

4.7393.30  L=30 мм

4.7393.35  L=35 мм

4.7393.40  L=40 мм резьба 20 мм

4.7393.45  L=45 мм резьба 20 мм

4.7393.50  L=50 мм резьба 20 мм

4.7393.55  L=55 мм резьба 20 мм

4.7393.60  L=60 мм резьба 20 мм

4.7393.65  L=65 мм резьба 21 мм

4.7393.70  L=70 мм резьба 23 мм

4.7393.75  L=75 мм резьба 25 мм

4.7393.80  L=80 мм резьба 26 мм

4.7393.85  L=85 мм резьба 28 мм

4.7393.90  L=90 мм резьба 30 мм

4.7393.95  L=95 мм резьба 31 мм


4.7393.100  L=100 мм резьба 33 мм

4.7393.105  L=105 мм резьба 35 мм

4.7393.110  L=110 мм резьба 36 мм

4.7393.115  L=115 мм резьба 36 мм

4.7393.120  L=120 мм резьба 36 мм






Винт спонгиозный сплошная резьба

Ø 4,0

4.140.02.10		L=10 мм	4.140.02.30		L=30 мм	4.140.02.52		L=52 мм
4.140.02.12		L=12 мм	4.140.02.32		L=32 мм	4.140.02.55		L=55 мм
4.140.02.14		L=14 мм	4.140.02.35		L=35 мм	4.140.02.58		L=58 мм
4.140.02.16		L=16 мм	4.140.02.36		L=36 мм	4.140.02.65		L=65 мм
4.140.02.18		L=18 мм	4.140.02.38		L=38 мм	4.140.02.70		L=70 мм
4.140.02.20		L=20 мм	4.140.02.40		L=40 мм	4.140.02.75		L=75 мм
4.140.02.22		L=22 мм	4.140.02.42		L=42 мм	4.140.02.80		L=80 мм
4.140.02.24		L=24 мм	4.140.02.45		L=45 мм			
4.140.02.26		L=26 мм	4.140.02.48		L=48 мм			
4.140.02.28		L=28 мм	4.140.02.50		L=50 мм			





Винт спонгиозный резьба дифференцированная

Ø 4,0

4.240.02.103  L= 10/3 мм

4.240.02.124  L= 12/4 мм

4.240.02.145  L= 14/5 мм

4.240.02.165  L= 16/5 мм

4.240.02.187  L= 18/7 мм

4.240.02.209  L= 20/9 мм

4.240.02.229  L= 22/9 мм

4.240.02.2410  L= 24/10 мм

4.240.02.2612  L= 26/12 мм

4.240.02.2812  L= 28/12 мм

4.240.02.3014  L= 30/14 мм

4.240.02.3214  L= 32/14 мм

4.240.02.3514  L= 35/14 мм

4.240.02.3615  L= 36/15 мм

4.240.02.3815  L= 38/15 мм

4.240.02.4015  L= 40/15 мм

4.240.02.4215  L= 42/15 мм

4.240.02.4515  L= 45/15 мм

4.240.02.4815  L= 48/15 мм

4.240.02.5015  L= 50/15 мм

4.240.02.5215  L= 52/15 мм

4.240.02.5515  L= 55/15 мм

4.240.02.5815  L= 58/15 мм

4.240.02.6015  L= 60/15 мм





Винт спонгиозный сплошная резьба

Ø 5,5

4.255.02.25  L=25 мм

4.255.02.30  L=30 мм

4.255.02.35  L=35 мм

4.255.02.40  L=40 мм

4.255.02.45  L=45 мм

4.255.02.50  L=50 мм

4.255.02.55  L=55 мм

4.255.02.60  L=60 мм

4.255.02.65  L=65 мм

4.255.02.70  L=70 мм

4.255.02.75  L=75 мм

4.255.02.80  L=80 мм

4.255.02.85  L=85 мм

4.255.02.90  L=90 мм

4.255.02.95  L=95 мм


4.255.02.100  L=100 мм

4.255.02.105  L=105 мм

4.255.02.110  L=110 мм

4.255.02.115  L=115 мм

4.255.02.120  L=120 мм





Винт спонгиозный сплошная резьба

Ø 6,5

4.265.02.25  L=25 мм

4.265.02.75  L=75 мм

4.265.02.30  L=30 мм

4.265.02.80  L=80 мм

4.265.02.35  L=35 мм

4.265.02.85  L=85 мм

4.265.02.40  L=40 мм

4.265.02.90  L=90 мм

4.265.02.45  L=45 мм

4.265.02.95  L=95 мм

4.265.02.50  L=50 мм

4.265.02.100  L=100 мм

4.265.02.55  L=55 мм

4.265.02.105  L=105 мм

4.265.02.60  L=60 мм


4.265.02.110  L=110 мм

4.265.02.65  L=65 мм

4.265.02.115  L=115 мм

4.265.02.70  L=70 мм

4.265.02.120  L=120 мм





Винт спонгиозный сплошная резьба



7,0

4.270.02.25



L=25 мм

4.270.02.75



L=75 мм

4.270.02.30



L=30 мм

4.270.02.80



L=80 мм

4.270.02.35



L=35 мм

4.270.02.85



L=85 мм

4.270.02.40



L=40 мм

4.270.02.90



L=90 мм

4.270.02.45



L=45 мм

4.270.02.95



L=95 мм

4.270.02.50



L=50 мм

4.270.02.100



L=100 мм

4.270.02.55



L=55 мм

4.270.02.105



L=105 мм

4.270.02.60



L=60 мм

4.270.02.110



L=110 мм

4.270.02.65



L=65 мм

4.270.02.115



L=115 мм

4.270.02.70




L=70 мм

4.270.02.120



L=120 мм





Винт спонгиозный сплошная резьба

Ø 7,3

4.273.02.25  L=25 мм

4.273.02.30  L=30 мм

4.273.02.35  L=35 мм

4.273.02.40  L=40 мм

4.273.02.45  L=45 мм

4.273.02.50  L=50 мм

4.273.02.55  L=55 мм

4.273.02.60  L=60 мм

4.273.02.65  L=65 мм

4.273.02.70  L=70 мм

4.273.02.75  L=75 мм

4.273.02.80  L=80 мм

4.273.02.85  L=85 мм

4.273.02.90  L=90 мм

4.273.02.95  L=95 мм


4.273.02.100  L=100 мм

4.273.02.105  L=105 мм

4.273.02.110  L=110 мм

4.273.02.115  L=115 мм

4.273.02.120  L=120 мм





Винт спонгиозный
длина резьбы 16 мм

Ø 5,5

4.255.16.02.25  L=25 мм

4.255.16.02.75  L=75 мм

4.255.16.02.30  L=30 мм

4.255.16.02.80  L=80 мм

4.255.16.02.34  L=34 мм

4.255.16.02.85  L=85 мм

4.255.16.02.40  L=40 мм

4.255.16.02.90  L=90 мм

4.255.16.02.45  L=45 мм

4.255.16.02.95  L=95 мм

4.255.16.02.50  L=50 мм

4.255.16.02.100  L=100 мм

4.255.16.02.55  L=55 мм

4.255.16.02.105  L=105 мм

4.255.16.02.60  L=60 мм

4.255.16.02.110  L=110 мм

4.255.16.02.65  L=65 мм

4.255.16.02.115  L=115 мм

4.255.16.02.70  L=70 мм

4.255.16.02.120  L=120 мм





Винт спонгиозный
длина резьбы 16 мм

Ø 6,5

4.265.16.02.25  L=25 мм

4.265.16.02.75  L=75 мм

4.265.16.02.30  L=30 мм

4.265.16.02.80  L=80 мм

4.265.16.02.34  L=34 мм

4.265.16.02.85  L=85 мм

4.265.16.02.40  L=40 мм

4.265.16.02.90  L=90 мм

4.265.16.02.45  L=45 мм

4.265.16.02.95  L=95 мм

4.265.16.02.50  L=50 мм

4.265.16.02.100  L=100 мм

4.265.16.02.55  L=55 мм

4.265.16.02.105  L=105 мм

4.265.16.02.60  L=60 мм


4.265.16.02.110  L=110 мм

4.265.16.02.65  L=65 мм

4.265.16.02.115  L=115 мм

4.265.16.02.70  L=70 мм

4.265.16.02.120  L=120 мм





Винт спонгиозный
длина резьбы 16 мм

Ø 7,0

4.270.16.02.25  L=25 мм

4.270.16.02.75  L=75 мм

4.270.16.02.30  L=30 мм

4.270.16.02.80  L=80 мм

4.270.16.02.34  L=34 мм

4.270.16.02.85  L=85 мм

4.270.16.02.40  L=40 мм

4.270.16.02.90  L=90 мм

4.270.16.02.45  L=45 мм

4.270.16.02.95  L=95 мм

4.270.16.02.50  L=50 мм

4.270.16.02.100  L=100 мм

4.270.16.02.55  L=55 мм

4.270.16.02.105  L=105 мм

4.270.16.02.60  L=60 мм


4.270.16.02.110  L=110 мм

4.270.16.02.65  L=65 мм

4.270.16.02.115  L=115 мм

4.270.16.02.70  L=70 мм

4.270.16.02.120  L=120 мм





Винт спонгиозный
длина резьбы 16 мм

Ø 7,3

4.273.16.02.25  L=25 мм

4.273.16.02.75  L=75 мм

4.273.16.02.30  L=30 мм

4.273.16.02.80  L=80 мм

4.273.16.02.34  L=34 мм

4.273.16.02.85  L=85 мм

4.273.16.02.40  L=40 мм

4.273.16.02.90  L=90 мм

4.273.16.02.45  L=45 мм

4.273.16.02.95  L=95 мм

4.273.16.02.50  L=50 мм

4.273.16.02.100  L=100 мм

4.273.16.02.55  L=55 мм

4.273.16.02.105  L=105 мм

4.273.16.02.60  L=60 мм


4.273.16.02.110  L=110 мм

4.273.16.02.65  L=65 мм

4.273.16.02.115  L=115 мм

4.273.16.02.70  L=70 мм

4.273.16.02.120  L=120 мм





Винт спонгиозный
длина резьбы 32 мм

Ø 5,5

4.255.32.02.40  L=40 мм

4.255.32.02.90  L=90 мм

4.255.32.02.45  L=45 мм

4.255.32.02.95  L=95 мм

4.255.32.02.50  L=50 мм

4.255.32.02.100  L=100 мм

4.255.32.02.55  L=55 мм

4.255.32.02.105  L=105 мм

4.255.32.02.60  L=60 мм

4.255.32.02.110  L=110 мм

4.255.32.02.65  L=65 мм

4.255.32.02.115  L=115 мм


4.255.32.02.70  L=70 мм

4.255.32.02.120  L=120 мм

4.255.32.02.75  L=75 мм

4.255.32.02.80  L=80 мм

4.255.32.02.85  L=85 мм





Винт спонгиозный
длина резьбы 32 мм

Ø 6,5

4.265.32.02.40  L=40 мм

4.265.32.02.90  L=90 мм

4.265.32.02.45  L=45 мм

4.265.32.02.95  L=95 мм

4.265.32.02.50  L=50 мм

4.265.32.02.100  L=100 мм

4.265.32.02.55  L=55 мм

4.265.32.02.105  L=105 мм

4.265.32.02.60  L=60 мм

4.265.32.02.110  L=110 мм

4.265.32.02.65  L=65 мм

4.265.32.02.115  L=115 мм


4.265.32.02.70  L=70 мм

4.265.32.02.120  L=120 мм

4.265.32.02.75  L=75 мм

4.265.32.02.80  L=80 мм

4.265.32.02.85  L=85 мм





Винт спонгиозный
длина резьбы 32 мм

Ø 7,0

4.270.32.02.40  L=40 мм

4.270.32.02.90  L=90 мм

4.270.32.02.45  L=45 мм

4.270.32.02.95  L=95 мм

4.270.32.02.50  L=50 мм

4.270.32.02.100  L=100 мм

4.270.32.02.55  L=55 мм

4.270.32.02.105  L=105 мм

4.270.32.02.60  L=60 мм

4.270.32.02.110  L=110 мм

4.270.32.02.65  L=65 мм

4.270.32.02.115  L=115 мм

4.270.32.02.70  L=70 мм

4.270.32.02.120  L=120 мм

4.270.32.02.75  L=75 мм

4.270.32.02.80  L=80 мм

4.270.32.02.85  L=85 мм





Винт спонгиозный
длина резьбы 32 мм

Ø 7,3

4.273.32.02.40  L=40 мм

4.273.32.02.90  L=90 мм

4.273.32.02.45  L=45 мм

4.273.32.02.95  L=95 мм

4.273.32.02.50  L=50 мм

4.273.32.02.100  L=100 мм

4.273.32.02.55  L=55 мм

4.273.32.02.105  L=105 мм

4.273.32.02.60  L=60 мм

4.273.32.02.110  L=110 мм

4.273.32.02.65  L=65 мм

4.273.32.02.115  L=115 мм

4.273.32.02.70  L=70 мм

4.273.32.02.120  L=120 мм

4.273.32.02.75  L=75 мм


4.273.32.02.80  L=80 мм

4.273.32.02.85  L=85 мм






Винт малеолярный

 $\varnothing$ 3,54.235.03.20  L=20 mm4.235.03.70  L=70 mm4.235.03.25  L=25 mm4.235.03.75  L=75 mm4.235.03.30  L=30 mm4.235.03.80  L=80 mm4.235.03.35  L=35 mm4.235.03.85  L=85 mm4.235.03.40  L=40 mm4.235.03.90  L=90 mm4.235.03.45  L=45 mm4.235.03.95  L=95 mm4.235.03.50  L=50 mm4.235.03.100  L=100 mm4.235.03.55  L=55 mm4.235.03.105  L=105 mm4.235.03.60  L=60 mm4.235.03.110  L=110 mm4.235.03.65  L=65 mm



Винт малеолярный

Ø 4,5

4.245.03.20  L=20 мм4.245.03.70  L=70 мм4.245.03.25  L=25 мм4.245.03.75  L=75 мм4.245.03.30  L=30 мм4.245.03.80  L=80 мм4.245.03.35  L=35 мм4.245.03.85  L=85 мм4.245.03.40  L=40 мм4.245.03.90  L=90 мм4.245.03.45  L=45 мм4.245.03.95  L=95 мм4.245.03.50  L=50 мм4.245.03.100  L=100 мм4.245.03.55  L=55 мм4.245.03.105  L=105 мм4.245.03.60  L=60 мм4.245.03.110  L=110 мм4.245.03.65  L=65 мм



Винт стержневой (стягивающий)

Ø 3,5

4.335.14		L=14 мм	4.335.34		L=34 мм	4.335.54		L=54 мм
4.335.16		L=16 мм	4.335.36		L=36 мм	4.335.56		L=56 мм
4.335.18		L=18 мм	4.335.38		L=38 мм	4.335.58		L=58 мм
4.335.20		L=20 мм	4.335.40		L=40 мм	4.335.60		L=60 мм
4.335.22		L=22 мм	4.335.42		L=42 мм	4.335.62		L=62 мм
4.335.24		L=24 мм	4.335.44		L=44 мм			
4.335.26		L=26 мм	4.335.46		L=46 мм			
4.335.28		L=28 мм	4.335.48		L=48 мм			
4.335.30		L=30 мм	4.335.50		L=50 мм			
4.335.32		L=32 мм	4.335.52		L=52 мм			






Винт стержневой (стягивающий)


Ø 4,5

4.345.14		L=14 мм	4.345.34		L=34 мм	4.345.54		L=54 мм
4.345.16		L=16 мм	4.345.36		L=36 мм	4.345.56		L=56 мм
4.345.18		L=18 мм	4.345.38		L=38 мм	4.345.58		L=58 мм
4.345.20		L=20 мм	4.345.40		L=40 мм	4.345.60		L=60 мм
4.345.22		L=22 мм	4.345.42		L=42 мм	4.345.62		L=62 мм
4.345.24		L=24 мм	4.345.44		L=44 мм			
4.345.26		L=26 мм	4.345.46		L=46 мм			
4.345.28		L=28 мм	4.345.48		L=48 мм			
4.345.30		L=30 мм	4.345.50		L=50 мм			
4.345.32		L=32 мм	4.345.52		L=52 мм			





Винт-шило

 $\varnothing$ 3,54.435.30  L= 30 мм4.435.50  L= 50 мм4.435.40  L= 40 мм4.435.60  L= 60 мм4.435.45  L= 45 мм



Винт-шило



4,0


4.340.30  L= 30 мм

4.340.40  L= 40 мм

4.340.45  L= 45 мм


4.340.50  L= 50 мм

4.340.60  L= 60 мм





Винт-шило

 $\varnothing$ 4,54.445.30  L= 30 мм4.445.40  L= 40 мм4.445.45  L= 45 мм4.445.50  L= 50 мм4.445.60  L= 60 мм4.445.70  L= 70 мм



Винт-шило

Ø 5,0

4.350.30  L= 30 мм

4.350.40  L= 40 мм


4.350.45  L= 45 мм

4.350.50  L= 50 мм

4.350.60  L= 60 мм

4.350.70  L= 70 мм


4.350.80  L= 80 мм





Винт-шило


Ø 6,0

4.060.30  L= 30 мм4.060.40  L= 40 мм4.060.45  L= 45 мм4.060.50  L= 50 мм4.060.60  L= 60 мм4.060.70  L= 70 мм4.060.80  L= 80 мм4.060.90  L= 90 мм4.060.100  L= 100 мм4.060.110  L= 110 мм



Винт-шило

Ø 6,5

4.365.30  L= 30 мм4.365.70  L= 70 мм4.365.40  L= 40 мм4.365.80  L= 80 мм4.365.45  L= 45 мм4.365.90  L= 90 мм4.365.50  L= 50 мм4.365.100  L= 100 мм4.365.60  L= 60 мм4.365.110  L= 110 мм



Винт для фиксации
мышцелков и лодыжек
(комплект)

Ø 3,0

4.030.60  L= 60 мм

4.030.70  L= 70 мм

4.030.75  L= 75 мм

4.030.80  L= 80 мм

4.030.90  L= 90 мм


4.030.100  L= 100 мм

4.030.105  L= 105 мм

4.030.110  L= 110 мм

4.030.120  L= 120 мм

4.030.130  L= 130 мм





Винт для фиксации
мышцелков и лодыжек
(комплект)

Ø 4,0

4.440.60  L= 60 мм

4.440.100  L= 100 мм

4.440.70  L= 70 мм

4.440.105  L= 105 мм

4.440.75  L= 75 мм


4.440.110  L= 110 мм

4.440.80  L= 80 мм

4.440.120  L= 120 мм

4.440.90  L= 90 мм

4.440.130  L= 130 мм





Винт канюлированный
интерферентный с "мягкой"
и "твердой" резьбой

Ø 7,0

4.070.20 M/T  L=20 мм

4.070.30 M/T  L=30 мм

4.070.25 M/T  L=25 мм



Винт канюлированный
интерферентный с "мягкой"
и "твердой" резьбой

Ø 8,0

4.080.20 M/T  L=20 мм

4.080.30 M/T  L=30 мм

4.080.25 M/T  L=25 мм





Винт канюлированный
интерферентный с "мягкой"
и "твердой" резьбой

Ø 9,0

4.090.20 M/T  L=20 мм

4.090.30 M/T  L=30 мм

4.090.25 M/T  L=25 мм



Винт канюлированный
интерферентный с "мягкой"
и "твердой" резьбой

Ø 10,0

4.010.20 M/T  L=20 мм

4.010.30 M/T  L=30 мм

4.010.25 M/T  L=25 мм

