

ВИНТЫ ДЛЯ ПЛАСТИН С УГЛОВОЙ СТАБИЛЬНОСТЬЮ



Винт кортикальный
с конической резьбой

Ø 2,0

3.020.08  L=8 мм

3.020.20  L=20 мм

3.020.10  L=10 мм

3.020.22  L=22 мм

3.020.12  L=12 мм

3.020.24  L=24 мм

3.020.14  L=14 мм

3.020.26  L=26 мм

3.020.16  L=16 мм

3.020.28  L=28 мм

3.020.18  L=18 мм

3.020.30  L=30 мм





Винт кортикальный с конической резьбой

Ø 2,3

3.023.08		L=8 мм	3.023.20		L=20 мм
3.023.10		L=10 мм	3.023.22		L=22 мм
3.023.12		L=12 мм	3.023.24		L=24 мм
3.023.14		L=14 мм	3.023.26		L=26 мм
3.023.16		L=16 мм	3.023.28		L=28 мм
3.023.18		L=18 мм	3.023.30		L=30 мм





Винт кортикальный с цилиндрической резьбой

Ø 2,4

3.024.16  L=16 мм

3.024.18  L=18 мм

3.024.20  L=20 мм

3.024.22  L=22 мм

3.024.24  L=24 мм

3.024.26  L=26 мм

3.024.28  L=28 мм

3.024.30  L=30 мм


3.024.32  L=32 мм

3.024.34  L=34 мм

3.024.36  L=36 мм

3.024.38  L=38 мм

3.024.40  L=40 мм





Винт кортикальный с конической резьбой

Ø 2,5

3.025.10  L=10 мм

3.025.12  L=12 мм

3.025.14  L=14 мм

3.025.16  L=16 мм

3.025.18  L=18 мм

3.025.20  L=20 мм

3.025.22  L=22 мм

3.025.24  L=24 мм

3.025.26  L=26 мм

3.025.28  L=28 мм

3.025.30  L=30 мм

3.025.32  L=32 мм

3.025.34  L=34 мм

3.025.36  L=36 мм

3.025.38  L=38 мм

3.025.40  L=40 мм





Винт кортикальный с цилиндрической резьбой

Ø 2,5

3.125.16  L=16 мм

3.125.18  L=18 мм

3.125.20  L=20 мм

3.125.22  L=22 мм

3.125.24  L=24 мм

3.125.26  L=26 мм

3.125.28  L=28 мм

3.125.30  L=40 мм


3.125.32  L=30 мм

3.125.34  L=32 мм

3.125.36  L=34 мм

3.125.38  L=36 мм

3.125.40  L=38 мм





Винт кортикальный с конической резьбой

Ø 2,7

3.027.08  L=8 мм

3.027.10  L=10 мм

3.027.12  L=12 мм

3.027.14  L=14 мм

3.027.15  L=15 мм

3.027.16  L=16 мм

3.027.18  L=18 мм

3.027.20  L=20 мм

3.027.22  L=22 мм

3.027.24  L=24 мм

3.027.25  L=25 мм

3.027.26  L=26 мм

3.027.28  L=28 мм

3.027.30  L=30 мм

3.027.32  L=32 мм


3.027.34  L=34 мм

3.027.35  L=35 мм

3.027.36  L=36 мм

3.027.38  L=38 мм

3.027.40  L=40 мм



3.027.42  L=42 мм

3.027.44  L=44 мм

3.027.45  L=45 мм

3.027.46  L=46 мм

3.027.48  L=48 мм

3.027.50  L=50 мм

3.027.52  L=52 мм

3.027.54  L=54 мм

3.027.55  L=55 мм

3.027.56  L=56 мм

3.027.58  L=58 мм

3.027.60  L=60 мм

3.027.65  L=65 мм


3.027.70  L=70 мм

3.027.75  L=75 мм

3.027.80  L=80 мм

Винт кортикальный
с конической резьбой

Ø 2,7





Винт кортикальный с конической резьбой

Ø 3,5

3.035.05  L=5 мм (гладкий)

3.035.10  L=10 мм

3.035.12  L=12 мм

3.035.14  L=14 мм

3.035.15  L=15 мм

3.035.16  L=16 мм

3.035.18  L=18 мм

3.035.20  L=20 мм

3.035.22  L=22 мм

3.035.24  L=24 мм

3.035.25  L=25 мм

3.035.26  L=26 мм

3.035.28  L=28 мм

3.035.30  L=30 мм

3.035.32  L=32 мм

3.035.34  L=34 мм

3.035.35  L=35 мм

3.035.36  L=36 мм

3.035.38  L=38 мм

3.035.40  L=40 мм



3.035.42  L=42 мм

3.035.44  L=44 мм

3.035.45  L=45 мм

3.035.46  L=46 мм

3.035.48  L=48 мм

3.035.50  L=50 мм

3.035.52  L=52 мм

3.035.54  L=54 мм

3.035.55  L=55 мм

3.035.56  L=56 мм

3.035.58  L=58 мм

3.035.60  L=60 мм

3.035.65  L=65 мм


3.035.70  L=70 мм

3.035.75  L=75 мм

3.035.80  L=80 мм

Винт кортикальный
с конической резьбой

Ø 3,5





Винт кортикальный с конической резьбой

Ø 5,0

3.050.08  L=8 мм (гладкий)

3.050.15  L=15 мм

3.050.16  L=16 мм

3.050.18  L=18 мм

3.050.20  L=20 мм

3.050.22  L=22 мм

3.050.24  L=24 мм

3.050.25  L=25 мм

3.050.26  L=26 мм

3.050.28  L=28 мм

3.050.30  L=30 мм

3.050.32  L=32 мм

3.050.34  L=34 мм

3.050.35  L=35 мм

3.050.36  L=36 мм


3.050.38  L=38 мм

3.050.40  L=40 мм

3.050.42  L=42 мм

3.050.44  L=44 мм

3.050.45  L=45 мм



3.050.28  L=46 мм

3.050.29  L=48 мм

3.050.30  L=50 мм

3.050.31  L=52 мм

3.050.32  L=54 мм

3.050.33  L=55 мм

3.050.34  L=56 мм

3.050.35  L=58 мм

3.050.36  L=60 мм

3.050.37  L=62 мм

3.050.38  L=64 мм

3.050.39  L=65 мм

3.050.40  L=66 мм

3.050.41  L=68 мм

3.050.42  L=70 мм

3.050.43  L= 75 мм

3.050.44  L= 80 мм

3.050.45  L= 85 мм

3.050.46  L= 90 мм

3.050.47  L= 95 мм

3.050.48  L= 100 мм

Винт кортикальный с
конической резьбой

Ø 5,0





Винт кортикальный с цилиндрической резьбой

Ø 7,3

3.073.30  L= 30 мм

3.073.40  L= 40 мм

3.073.45  L= 45 мм

3.073.50  L= 50 мм

3.073.55  L= 55 мм

3.073.60  L= 60 мм

3.073.65  L= 65 мм

3.073.70  L= 70 мм

3.073.75  L= 75 мм

3.073.80  L= 80 мм

3.073.85  L= 85 мм

3.073.90  L= 90 мм





Винт спонгиозный с конической резьбой

Ø 3,5

3.135.10  L=10 мм

3.135.12  L=12 мм

3.135.14  L=14 мм

3.135.15  L=15 мм

3.135.16  L=16 мм

3.135.18  L=18 мм

3.135.20  L=20 мм

3.135.22  L=22 мм

3.135.24  L=24 мм

3.135.25  L=25 мм

3.135.26  L=26 мм

3.135.28  L=28 мм

3.135.30  L=30 мм

3.135.32  L=32 мм

3.135.34  L=34 мм


3.135.35  L=35 мм

3.135.36  L=36 мм

3.135.38  L=38 мм

3.135.40  L=40 мм

3.135.42  L=42 мм



3.135.44  L=44 мм

3.135.45  L=45 мм

3.135.46  L=46 мм

3.135.48  L=48 мм

3.135.50  L=50 мм

3.135.52  L=52 мм

3.135.54  L=54 мм

3.135.55  L=55 мм

3.135.56  L=56 мм

3.135.58  L=58 мм

3.135.60  L=60 мм

3.135.65  L=65 мм


3.135.70  L=70 мм

3.135.75  L=75 мм

3.135.80  L=80 мм

**Винт спонгиозный
с конической резьбой**

Ø 3,5





Винт спонгиозный с конической резьбой

Ø 5,0

3.150.15  L=15 мм

3.150.16  L=16 мм

3.150.18  L=18 мм

3.150.20  L=20 мм

3.150.22  L=22 мм

3.150.24  L=24 мм

3.150.25  L=25 мм

3.150.26  L=26 мм

3.150.28  L=28 мм

3.150.30  L=30 мм

3.150.32  L=32 мм

3.150.34  L=34 мм

3.150.35  L=35 мм

3.150.36  L=36 мм

3.150.38  L=38 мм


3.150.40  L=40 мм

3.150.42  L=42 мм

3.150.44  L=44 мм

3.150.45  L=45 мм

3.150.46  L=46 мм



3.150.48  L=48 мм

3.150.50  L=50 мм

3.150.52  L=52 мм

3.150.54  L=54 мм

3.150.55  L=55 мм

3.150.56  L=56 мм

3.150.58  L=58 мм

3.150.60  L=60 мм

3.150.62  L=62 мм

3.150.64  L=64 мм

3.150.65  L=65 мм

3.150.66  L=66 мм

3.150.68  L=68 мм

3.150.70  L=70 мм

3.150.75  L= 75 мм

3.150.80  L= 80 мм

3.150.85  L= 85 мм


3.150.90  L= 90 мм

3.150.95  L= 95 мм

3.150.100  L= 100 мм

Винт спонгиозный
с конической резьбой

Ø 5,0





Винт спонгиозный с цилиндрической резьбой



6,5

3.065.40  L=40 мм полнонарезной

3.065.45  L=45 мм полнонарезной

3.065.50  L=50 мм полнонарезной

3.065.55  L=55 мм полнонарезной

3.065.60  L=60 мм полнонарезной

3.065.65  L=65 мм полнонарезной

3.065.70  L=70 мм полнонарезной

3.065.75  L=75 мм полнонарезной

3.065.80  L=80 мм полнонарезной

3.065.85  L=85 мм полнонарезной

3.065.90  L=90 мм полнонарезной

3.065.95  L=95 мм полнонарезной

3.065.100  L=100 мм полнонарезной

3.065.105  L=105 мм полнонарезной

3.065.110  L=110 мм полнонарезной


3.065.115  L=115 мм полнонарезной

3.065.120  L=120 мм полнонарезной

3.065.40/32  L=40 мм резьба 32 мм

3.065.45/32  L=45 мм резьба 32 мм

3.065.50/32  L=50 мм резьба 32 мм



3.065.55/32  L=55 мм резьба 32 мм

3.065.60/32  L=60 мм резьба 32 мм

3.065.65/32  L=65 мм резьба 32 мм

3.065.70/32  L=70 мм резьба 32 мм

3.065.75/32  L=75 мм резьба 32 мм

3.065.80/32  L=80 мм резьба 32 мм

3.065.85/32  L=85 мм резьба 32 мм

3.065.90/32  L=90 мм резьба 32 мм

3.065.95/32  L=95 мм резьба 32 мм

3.065.100/32  L=100 мм резьба 32 мм

3.065.105/32  L=105 мм резьба 32 мм

3.065.110/32  L=110 мм резьба 32 мм

3.065.115/32  L=115 мм резьба 32 мм

3.065.120/32  L=120 мм резьба 32 мм

Винт спонгиозный
с цилиндрической резьбой

Ø 6,5

